



Summary Table – Urban Core

Context-Sensitive Guidance All Dimensions in Feet		Urban Core									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	5	12	8	25	8	10	10	16	5	10
	Constrained	1	10	5	16	5	10	9	6	20	25
Main Connector	Target	4	10	6	20	8	10	10	16	5	10
	Constrained	1	8	5	14	5	10	9	6	20	25
Community Connector	Target	4	10	6	20	7.5	10	10	0	5	10
	Constrained	1	6	4	11	4	10	9	0	20	25
Neighborhood Streets	Target	1	6	5	12	n/a^	n/a*	n/a	0	5	10
	Constrained	0	5	4	9	n/a^	n/a*	n/a	0	20	25

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater



Summary Table – Urban General

Context-Sensitive Guidance <small>All Dimensions in Feet</small>		Urban General									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	1	10	6	17	8	10	10	18	5	10
	Constrained	1	8	5	14	5	10	9	6	20	25
Main Connector	Target	1	8	6	15	8	10	10	16	5	10
	Constrained	1	5	5	11	5	10	9	6	20	25
Community Connector	Target	1	10	6	17	7.5	10	10	0	5	10
	Constrained	1	5	4	10	4	10	9	0	20	25
Neighborhood Streets	Target	1	6	5	12	n/a^	n/a*	n/a	0	5	10
	Constrained	0	5	4	9	n/a^	n/a*	n/a	0	20	25

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater



Summary Table – Suburban

Context-Sensitive Guidance All Dimensions in Feet		Suburban									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	1	6	7	14	8	10	10	18	15	20
	Constrained	1	5	4	10	5	10	9	6	30	35
Main Connector	Target	1	8	7	16	8	10	10	16	15	20
	Constrained	1	6	1	8	5	10	9	6	30	35
Community Connector	Target	1	6	5	12	7.5	10	10	0	15	20
	Constrained	1	6	1	8	4	10	9	0	30	35
Neighborhood Streets	Target	1	5	4	10	n/a^	n/a*	n/a	0	15	20
	Constrained	1	5	1	7	n/a^	n/a*	n/a	0	30	35

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater



Summary Table – Rural Town

Context-Sensitive Guidance <small>All Dimensions in Feet</small>		Rural Town									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	0	6	6	12	8	10	10	6	15	20
	Constrained	0	5	5	10	5	10	9	4	30	35
Main Connector	Target	0	6	6	12	8	10	10	6	15	20
	Constrained	0	6	0	6	5	10	9	6	30	35
Community Connector	Target	0	6	6	12	7.5	10	10	0	15	20
	Constrained	0	6	2	8	4	10	9	0	30	35
Neighborhood Streets	Target	0	5	5	10	n/a^	n/a*	n/a	0	15	20
	Constrained	0	5	2	7	n/a^	n/a*	n/a	0	30	35

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater



Summary Table – Rural

Context-Sensitive Guidance All Dimensions in Feet		Rural									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	0	6	6	12	8	12	11	6	15	20
	Constrained	0	5	5	10	6	11	10	4	30	35
Main Connector	Target	0	6	6	12	8	12	11	6	15	20
	Constrained	0	6	0	6	6	10	10	6	30	35
Community Connector	Target	0	6	6	12	7.5	11	11	0	15	20
	Constrained	0	6	2	8	6	10	9	0	30	35
Neighborhood Streets	Target	0	5	5	10	n/a^	n/a*	n/a	0	15	20
	Constrained	0	5	2	7	n/a^	n/a*	n/a	0	30	35

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater



Summary Table – Natural

Context-Sensitive Guidance All Dimensions in Feet		Natural									
		Pedestrian Realm				Vehicular Realm				Intersection	
		Frontage Zone	Pedestrian Zone	Furnishing Zone	Total Width	Bicycle Facility	Through Lane	Turn Lane	Center Median	Curb Radii (Actual)	Curb Radii (Effective)
Major Corridor	Target	0	6	6	12	8	12	11	6	15	20
	Constrained	0	5	5	10	5	11	10	4	30	35
Main Connector	Target	0	6	6	12	8	12	11	6	15	20
	Constrained	0	6	0	6	5	10	10	6	30	35
Community Connector	Target	0	6	6	12	7.5	11	11	0	15	20
	Constrained	0	6	2	8	4	10	9	0	30	35
Neighborhood Streets	Target	0	5	5	10	n/a^	n/a*	n/a	0	15	20
	Constrained	0	5	2	7	n/a^	n/a*	n/a	0	30	35

^ Neighborhood streets will typically provide shared lane markings to provide Bicycle accommodations

* Per MUTCD Section 3B center line markings are only required on urban arterial and collectors with a traveled way of 20' or more and an ADT of 6,000 vehicles per day or greater